





HOOD NO.	MODEL	LENGTH	MAX. COOKING TEMP.	① EXHAUST PLENUM					② SUPPLY PLENUM					HOOD CONSTRUCTION
				TOTAL EXH. CFM	RISER(S)				TOTAL SUP. CFM	RISER(S)				
					DIA.	QTY.	CFM	S.P.		WIDTH	LENG.	QTY..	CFM	S.P.
1	COND.	48" NOM 48" OD	700 Deg.	800	10"	1	800	0.5"	-	-	-	-	-	STAINLESS/ALUMINIZED

DUCT OPENING ARE
RECOMMENDED
SIZES
OPENINGS TO BE PUT
IN FIELD






FAN MODEL	A	B	C	D	WT. LBS.
10D-DB	21⅛"	13¼"	3⅓⅙"	16" SQ.	24 LBS.

FAN UNIT NO.	FAN UNIT MODEL#	① EXHAUST FAN								
		MODEL	TAG	CFM	S.P.	RPM	H.P.	Ø	VOLTS	FLA
1	10D-DB EF-1	10D-DB	EF-1	800	0.25"	1550	1/10	1	115	-





SIDE VIEW - CONDENSATE
SCALE: $\frac{3}{8}" = 1' - 0"$

